



# Chrysler and Dodge

Northstar, Summit, and Northstar E Conversions





## VMI Northstar™

### Power In-Floor Ramp

VMI pioneered the Northstar in-floor ramp system in 1993 to satisfy wheelchair user needs for additional interior space and a safe, clean, obstruction-free vehicle interior. After two decades of refinement, the Northstar remains the most technologically advanced ramp system on the market. The Northstar ramp simply slides out from within the vehicle floor, rather than taking up valuable space inside the vehicle. The significant advantages of the Northstar in-floor ramp system over traditional fold-out ramps make it VMI's best-selling conversion.



### Obstruction-Free Doorway

Safe entry and exit without deploying the ramp for able-bodied passengers.



### Interior Space

Ample interior space for wheelchair maneuverability.



### PowerKneel™

Lowers the vehicle to provide a reduced ramp angle for easy entry & exit. Can be deactivated for deployment onto a curb.



**Stowed ramp is protected within the vehicle floor with no squeaking or rattling. In-floor ramp keeps dirt and debris from entering the vehicle cabin.**



### Sure Deploy™

Provides a simple way to operate the ramp in the event of vehicle power loss.



## VMI Summit™

### Power Fold-Out Ramp

The VMI Summit fold-out ramp system features a fully powered, fold-out ramp. The Summit ramp stows inside the vehicle cabin and smoothly extends outward when deployed. The ramp is designed with 2" side rails to provide an additional level of comfort when negotiating up and down the ramp.



#### Easy Access to Door Handle

VMI's Summit ramp does not block the interior sliding door handle.



### PowerKneel™

Lowers the vehicle to provide a reduced ramp angle for easy entry & exit. Can be deactivated for deployment onto a curb.



### Ramp Perforations

The ramp perforations help remove debris and provide additional traction for wheelchair access.



The anti-rattle mechanism helps to ensure a quieter ride.



### Rounded Corners

Rounded ramp corners make it easier to maneuver up and down the ramp in tight parking situations.



## VMI Northstar E™ Manual In-Floor Ramp

The Northstar E manual conversion is designed for wheelchair users with caregivers. Its simple design features front-seat wheelchair access and an in-floor, slide-out ramp. With all of the core elements of a functional mobility vehicle, the Northstar E offers practicality, ease of use, and other side-entry benefits at an affordable price. The patented manual in-floor ramp of the Northstar E is easier to stow and deploy than other manual ramp options on the market, and it does not take up valuable interior cabin space when stowed.



### Easy Manual In-Floor Ramp

Easy to use for caregivers of any age or size, requiring no bending or heavy lifting.



## Flexible Seating Options

Optional single or double flip-up mid-row seating allows a caregiver to sit next to a wheelchair user in the front or mid-row.



## Obstruction-Free Doorway

Safe entry and exit without deploying the ramp for able-bodied passengers.

## Interior Space

Ample interior space for wheelchair maneuverability.

The Northstar E has seating capacity for up to 7 people!

**1** EASY TO USE

**2** ELEMENTARY

**3** ECONOMICAL

# Standard Features



## Lowered Floor


Allows the wheelchair user a clear line of sight and provides ample headroom for most users.



## One-Touch Controls

One-touch controls make it easy to deploy or stow the fully powered Northstar or Summit ramp system using the OEM remote, VMI dash button, or other interior vehicle buttons!

Not available on the Northstar E manual conversion.



## Easy Front Row Access

The front row floor is free of obstacles to accommodate wheelchairs in the driver and front passenger positions.



Removable front seats are equipped with rolling casters, making them easy to remove and lock back into place.

Driver seat not removable in the Northstar E.



## Front and Mid-Row Access

Wheelchair users can sit in the front row or mid row in any VMI conversion.



Engineered to minimize interior noise.




## Ground Clearance

High clearance reduces scraping caused by speed bumps, crested pavement, or dips.



## Hidden Spare Tire

Allows plenty of cargo space and can be accessed easily and quickly.



## 100% Crash Tested

Meets or exceeds all Federal Motor Vehicle Safety Standards governed by NHTSA (National Highway Transportation Safety Administration).

# Optional Features



## Step Flares

- Allows easy access to front-row seating on both driver and passenger sides
- Microspike textured non-slip surface
- 400 lb weight capacity
- Color-matched to each vehicle



## Durafloor


- Unique rubberized flooring
- Provides excellent traction for wheelchairs
- Durable and easy to clean
- Full layer of insulation reduces noise



# Seating Options


Multiple seating options for VMI's Chrysler and Dodge conversions allow for independence and flexibility. Wheelchair users can choose to drive from their chair\*, sit in the front passenger position, or ride in the middle of the van. This diagram shows just a few of the many possible seating options.

## Northstar and Summit




## Northstar E


### Without Mid-Row Seat



### With Single Mid-Row Seat




### With Double Mid-Row Seat



\*Wheelchair users cannot drive from their wheelchair in the Northstar E conversion because the front driver seat is not removable.

The single and double mid-row seats can fold up when not in use to allow more interior space. Seating options may vary.

# Specifications



|  | Northstar                               | Summit                                  | Northstar E                             |
|--|---|---|---|
| <b>(A)</b> Door Opening Height                             | 55.1"                                   | 54.3"                                   | 55.1"                                   |
| <b>(B)</b> Door Opening Width                              | 30.8"                                   | 30.8"                                   | 30.8"                                   |
| <b>(C)</b> Interior Height at Center Position              | 57.63"                                  | 57.63"                                  | 57.63"                                  |
| <b>(D)</b> Interior Height at Front Position               | 58" (w/o sunroof)<br>55.5" (w/ sunroof) | 58" (w/o sunroof)<br>55.5" (w/ sunroof) | 58" (w/o sunroof)<br>55.5" (w/ sunroof) |
| <b>(E)</b> Ramp Angle                                      | 8° (w/ PowerKneel™ on)                  | 9.7° (w/ PowerKneel™ on)                | 11.5°                                   |
| <b>(F)</b> Ramp Length (angled ramp and transition plate)  | 58.6"                                   | 50.3"                                   | 59.4"                                   |
| <b>(G)</b> Ramp Width (usable)                             | 29.25"                                  | 28.88"                                  | 30"                                     |
| Ramp Capacity  | 800 lbs                                 | 600 lbs                                 | 800 lbs                                 |
| <b>(H)</b> Floor Length Overall                            | 86"                                     | 86"                                     | 86"                                     |
| <b>(I)</b> Floor Length Behind Front Seats (from B pillar) | 58.25"                                  | 58.25"                                  | 58.25"                                  |
| <b>(J)</b> Floor Width (no mid-row seat)                   | 66.5"                                   | 61.25"                                  | 66.5"                                   |
| Floor Width w/ Mid-Row Seat Folded Up                      | -                                       | -                                       | 49"                                     |
| Floor Width w/ Mid-Row Seat Folded Down                    | -                                       | -                                       | 37" single<br>22.5" double              |
| Ground Clearance   | 5.5"                                    | 5.5"                                    | 5.5"                                    |
| Overall Vehicle Height                                     | 73"                                     | 73"                                     | 73"                                     |



# Imagining Possibilities in Everything We Do

For more than 25 years, VMI has applied its innovation and expertise to build advanced mobility products that allow our customers to experience greater freedom and access to life. We are committed to you and understand how transportation can bring you greater freedom and independence. Our quality, state-of-the-art lineup of mobility products provides ease of use, maneuverability and flexibility. All of our vans have been 100% crash tested and include a 3 year / 36,000 mile (*whichever comes first*) conversion warranty.



## Dealer Network

Our more than 500 dealers are trained to carefully evaluate each customer and his or her unique needs in order to recommend the right mobility product. Taking into consideration factors such as how you plan to use your mobility product and your personal disability and diagnosis, our certified mobility consultants will pair you with the right vehicle, lift, or accessory to enhance your independence. It's all part of our commitment to provide superior customer service and the most fulfilling ownership experience.



Proud Member  
Since 1990



Proud Sponsor  
Since 1999



855-VMI-VANS • [vmivans.com](http://vmivans.com) • 5202 S 28<sup>th</sup> Place **Phoenix, AZ 85040**  
(864-8267)